


Dalton 663

DALTON COLLECTION:
Dalton 661, Dalton 662, Dalton 663, Dalton 664,




4-leg stool with wooden frame. Seat and backrest upholstered in fabric.

WEIGHT	PACK	PIECES PER BOX
5,6Kg	0,29 m³	1

FINISHES SEATING

TE FABRICS



Sawana Davis
+ 24 colours




Citadel Camira
+ 16 colours




Inca Abitex
+ 15 colours



Medley Gabriel
+ 14 colours




Go-Couture Gabriel
+ 8 colours




Go-Check Gabriel
+ 13 colours



Crazy Flukso
+ 7 colours




Rivet Camira
+ 12 colours



Criss Cross Gabriel
+ 19 colours



Valencia Spradling
+ 17 colours



Bubble Flukso
+ 9 colours



Europost 2 Gabriel
+ 16 colours




Fame Gabriel
+ 23 colours




Parotega NF
Skai Hornschuch
+ 8 colours




Superb Flukso
+ 13 colours




Balta Vescom
+ 12 colours




Main line flax Camira
+ 13 colours



Remix 2 Kvadrat
+ 18 colours



Revive 2 Kvadrat
+ 7 colours



Steelcut trio 3
Kvadrat
+ 20 colours

FRAMES

LE WOOD



maple stained ash
wood



Natural ash wood



Wengé stained ash
wood




Black stained ash
wood



Oak stained ash
wood



"Canaletto" walnut
stained ash wood



Ash wood, Stained
according to sample

CERTIFICATIONS

- > UNI/EN 16139:2013 - Par.4 Sicurezza. 4.3 Stabilità (11/04/17)
- > UNI/EN 16139:2013 - Par.4.1. Generale. 4.2 Cesoiamento e schiacciamento (11/04/17)
- > UNI/EN 16139:2013 - Par.6. Prova 1. Carico statico sedile e schienale: 2-Uso estremo (14/04/17)
- > UNI/EN 16139:2013 - Par.6. Prova 11. Prova di durabilità dell'appoggiatesta: 2-Uso estremo (22/05/17)
- > UNI/EN 16139:2013 - Par.6. Prova 12. Prova di carico statico delle gambe anteriori: 2-Uso estremo (23/05/17)
- > UNI/EN 16139:2013 - Par.6. Prova 13. Prova di carico statico delle gambe laterali: 2-Uso estremo (23/05/17)
- > UNI/EN 16139:2013 - Par.6. Prova 14. Prova di urto sul sedile: 2-Uso estremo (23/05/17)
- > UNI/EN 16139:2013 - Par.6. Prova 15. Prova di urto sullo schienale: 2-Uso estremo (23/05/17)
- > UNI/EN 16139:2013 - Par.6. Prova 2. Carico statico sul fronte anteriore: 2-Uso estremo (14/04/17)
- > UNI/EN 16139:2013 - Par.6. Prova 3. Carico verticale sullo schienale: 2-Uso estremo (14/04/17)
- > UNI/EN 16139:2013 - Par.6. Prova 4. Carico statico sul poggiatesta/ poggiatesta: 2-Uso estremo (14/04/17)
- > UNI/EN 16139:2013 - Par.6. Prova 8. Prova di fatica sedile e schienale: 2-Uso estremo (28/04/17)
- > UNI/EN 16139:2013 - Par.6. Prova 9. Prova di fatica del bordo anteriore: 2-Uso estremo (08/05/17)

USES

coffee & restaurants, hotels, educational, entertainment, travel, office and waiting areas, retail, health care,