




Uni 550

UNI COLLECTION:
 Uni 550, Uni 550M, Uni 378, Uni 378B, Uni 378M, Uni 378B-M, Uni 380M, Uni 380, Uni 380B, Uni 380B-M, Uni386, Uni 562, Uni 562M, Uni 386M, Uni 602, Uni 602M, Uni 603M, Uni603, Uni 551, Uni 551M, Uni 552, Uni552M, Uni552-G, Uni 552M-G, Uni 552T, Uni 552G-T, Uni 558-DP, Uni 558M-DP, Uni 558-DR, Uni 558M-DR, Uni 553M, Uni 553, Uni 577, Uni 577M, Uni 544, Uni 565, Uni 391, Uni 393, Uni 391M, Uni 393M, Uni 220, Uni 221, Uni 222, Uni 223, Trolley 536,



Chair with steel frame, 4 legs. Polypropylene shell.

STACKABLE

8

WEIGHT

4,6 kg

PACK

0,36 m³

PIECES PER BOX


5

FINISHES SEATING

PP POLYPROPYLENE



RAL 9016 Traffic white
≡



RAL 7000 Squirrel grey
≡



PANTONE 549 C Dusty
blue
≡



PANTONE 411 C Clay
≡



NCS S4005-Y50R
Turtle-dove
≡



NCS S3010-G30Y
Pistachio
≡



RAL 9005 Jet black
≡



RAL 7016 Anthracite
grey
≡



NCS S2060-Y90R
Coral red
≡



RAL 1004 Golden
yellow
≡

FRAMES

AC STEEL



RAL 9005
VR Jet black



RAL 9005
VR Matt Jet Black



RAL 9016
VR Traffic white



RAL 9010
VR Pure white



RAL 9006
VR White aluminium



PANTONE 402 C
VR Turtle-dove



RAL 7016
VR Anthracite grey



VR Pewter



RAL 3003
VR Ruby red



RAL 8017
VR Chocolate brown



RAL 7037
VR Matt Dusty grey




VR Rough metallic
bronze



CR Chrome



CR S Satin chrome



CR X Brass chrome



CR X Burnished chrome

CERTIFICATIONS

- > UNI/EN 15373:2007 - Test 1. Carico statico sedile e schienale: 3 (23/01/13)
- > UNI/EN 15373:2007 - Test 10. Prova di fatica sedile e schienale: 3 (27/06/11)
- > UNI/EN 15373:2007 - Test 19. Prova d'urto sul sedile: 3 (27/06/11)

USES

coffee & restaurants, hotels, educational, entertainment, travel, office and waiting areas, retail, health care,