




Uni-Ka 600

UNI-KA COLLECTION:
Uni-ka 594, Uni-Ka 594M, Uni-Ka 595, Uni-Ka 595M, Uni-Ka 596,
Uni-Ka 596M, Uni-Ka 597-DP, Uni-Ka 597-DR, Uni-Ka 597M-DP,
Uni-Ka 597M-DR, Uni-Ka 598, Uni-Ka 598M, Uni-Ka 599M, Uni-
Ka 599, Uni-Ka 600, Uni-Ka 600M, Uni-Ka 601, Uni-Ka 601M,
Uni-Ka 604, Uni-Ka 604M,



Swivel armchair with central steel base. Polypropylene shell.


WEIGHT	PACK	PIECES PER BOX
10,6 kg	0,34 m³	1

FINISHES SEATING

PP POLYPROPYLENE



RAL 9016 Traffic white
≡



RAL 7000 Squirrel grey
≡



PANTONE 549 C
Dusty blue
≡



PANTONE 411 C Clay
≡



NCS S4005-Y50R
Turtle-dove
≡



NCS S3010-G30Y
Pistachio
≡



RAL 9005 Jet black
≡



RAL 7016 Anthracite
grey
≡




NCS S2060-Y90R
Coral red
≡

FRAMES

AC STEEL

RAL 9005
VR Jet blackRAL 9005
VR Matt Jet BlackRAL 9016
VR Traffic whiteRAL 9010
VR Pure whiteRAL 9006
VR White aluminiumPANTONE 402 C
VR Turtle-doveRAL 7016
VR Anthracite grey

VR Pewter

RAL 3003
VR Ruby redRAL 8017
VR Chocolate brownRAL 7037
VR Matt Dusty greyVR Rough metallic
bronze

CR Chrome

CERTIFICATIONS

> UNI/EN 16139:2013 - Par.6. Prova 8. Prova di fatica sedile e schienale: 2-Uso estremo (21/09/16)

USES

coffee & restaurants, hotels, educational, entertainment, travel, office and waiting areas, retail, health care,